SIMON FRASER UNIVERSITY SCHOOL OF ENGINEERING SCIENCE

Summer 2006 ENSC 320: ELECTRIC CIRCUITS II

Midterm Examination No. 2 July 21, 2006

Duration: 60 minutes. Attempt all three problems. Questions are **not** equally weighted. Closed book and closed notes. Calculators, PDAs, laptops, and wireless phones are not permitted.

1. (40 points)

Consider the circuit shown in Figure 1. Assume that the op-amp is ideal.

- Find transfer function $H(s) = V_{out}/V_{in}$.
- Find zeros and poles of H(s).
- Find the magnitude and the phase of the frequency response.
- Plot the magnitude and the phase as functions of ω .
- Identify the type of the circuit.

2. (40 points)

A series RLC circuit is shown in Figure 2. Use Laplace transform to find the circuit's:

- impulse response
- step response.


For each response, identify:

- complete, homogeneous, and particular solutions
- natural and forced responses
- transient and steady-state solutions.

3. **(20 points)**

Consider the circuit shown in Figure 3. Find:

- input impedance Z(s)
- the circuit's resonant frequency ω_r
- input impedance at ω_r .



Item number	f(t)	$\mathcal{L}[f(t)] = F(s)$
1	$K\delta(t)$	K
2	Ku(t) or K	<u>K</u>
		1
3	r(t)	$\overline{s^2}$
4	$t_{\mathbf{u}}n(t)$	$\frac{n!}{s^{n+1}}$
5	$e^{-at}u(t)$	$\frac{1}{s+a}$
6	$te^{-at}u(t)$	1
		$(s + a)^2$
7	$t^n e^{-at}u(t)$	$\frac{n!}{(s+a)^{R+1}}$
8	$\sin(\omega t)u(t)$	$\frac{\omega}{s^2 + \omega^2}$
9	cos(ωt)u(t)	$\frac{s}{s^2 + \omega^2}$
10	$e^{-at}\sin(\omega t)u(t)$	$\frac{\omega}{(s+a)^2 + \omega^2}$
	$e^{-at}\cos(\omega t)u(t)$	$(s+a)^{-}+\omega^{-}$ s+a
-11		$(s+a)^2 + \omega^2$
12	$t \sin(\omega t)u(t)$	$\frac{2\omega s}{(s^2 + \omega^2)^2}$
13	$t \cos(\omega t)u(I)$	$\frac{s^2 - \omega^2}{(s^2 + \omega^2)^2}$
		$s \sin(\phi) + \omega \cos(\phi)$
14	$\sin{(\omega t + \Phi)u(t)}$	$s^2 + \omega^2$
15	$\cos(\omega t + \phi)u(t)$	$\frac{s \cos(\phi) - \omega \sin(\phi)}{s^2 + \omega^2}$
16	$e^{-at}[\sin(\omega t) - \omega t \cos(\omega t)]u(t)$	$\frac{s^2 + \omega^2}{2\omega^3} = \frac{[(s + a)^2 + \omega^2]^2}{[(s + a)^2 + \omega^2]^2}$
17	$te^{-at}\sin(\omega t)u(t)$	$2\omega \frac{s+a}{[(s+a)^2 + \omega^2]^2}$
18	$e^{-at} \left[C_1 \cos(\omega t) + \left(\frac{C_2 - C_1 a}{\omega} \right) \sin(\omega t) \right] u(t)$	$\frac{C_1s + C_2}{(s+a)^2 + \omega^2}$
19	$2\sqrt{A^2 + B^2}e^{-at}\cos\left[\omega t - \tan^{-1}\left(\frac{B}{A}\right)\right]$	$\frac{A+jB}{s+a+j\omega} + \frac{A-jB}{s+a-j}$
20	$2\sqrt{A^2 + B^2} te^{-at} \cos \left[\omega t - \tan^{-1} \left(\frac{B}{A}\right)\right]$	$\frac{A+jB}{(s+a+j\omega)^2} + \frac{A-j}{(s+a-j\omega)^2}$